


Technical Data

Measures	Units/m ²	Weight/m ²	Material	Finishes	Colours	Decor	
1. 16.6 in x 10.2 in x 1.2 in	1. 16 Units	37 Kg	Concrete (cement and sands 99% and color coating 1%)	Cement	CE1-CE15	Lienzo	Lineas
1. 27 cm x 31 cm x 3 cm	2. 64 Units			Full color	CB1-CB48	Planet	Fosil
2. 5.3 in x 9.1 in x 1.2 in	3. 64 Units			Metallic	ME1-ME7	Chevron	Trasversal
2. 13.5 cm x 23 cm x 3 cm				Chamaleon	CH1-CH3	Wood	Mariscal
3. 5.1 in x 6.3 in x 1.2 in				Oxide	O1-O5	Tye	Rayas
3. 13 cm x 16 cm x 3 cm				Leather	All CB,CE/ME/O	Trend	Lineas
				Marble	All CB/ME	Parasol	
				Decor	All CB/ME/CE/O		














Packaging



m ² Box	Weight Box	Pieces Box	Box Palet
2. 0.23 m ²	2. 8.51 kg	2. 15 Pieces	2. 80 Boxes
3. 0.23 m ²	3. 8.25 kg	3. 15 Pieces	3. 80 Boxes

General Material Performance Data

UNE-EN 15286:2013 Agglomerated stone - Slabs and tiles for wall finishes (internal and external)

 REACTION TO FIRE A1	 ABSORPTION W1	 SIZE ACCURACY +/- 0,5%	 THERMAL CONDUCTIVITY 1,3 W/m ² K	 COLOR TONE DIFFERENCE V1
 FREEZE/THAW RESISTANCE Resistant 97%	 COLOR FASTNESS Unchanging	 ADHESION Appropriate	 SURFACE QUALITY A1	 THERMAL SHOCK RESISTANCE Resistant 92%
 THICKNESS +/- 10%	 IMPACT RESISTANCE 5J	 FLEXURAL STRENGTH F1		

